

Name _____

Date _____

Additional Exercises 2.2
Form I
The Multiplication Property of Equality

Solve the equation using the multiplication property of equality.

1. $\frac{1}{5}x = 4$

1. _____

2. $-\frac{1}{3}x = 7$

2. _____

3. $9x = 27$

3. _____

4. $-5x = -40$

4. _____

5. $-8x = 2$

5. _____

6. $-x = 11$

6. _____

7. $3x - x = 20$

7. _____

8. $2x + 4 = 16$

8. _____

9. $3x - 4 = 8$

9. _____

10. $-15 = 3x + 3$

10. _____

11. $4x = -2x + 42$

11. _____

12. $6x + 9 = 4x - 5$

12. _____

13. $8x + 1 = 6x + 1$

13. _____

Name _____

Date _____

14. $-2x + 5 = -4x + 7$

14. _____

15. $5x + 8 = x + 4$

15. _____

Solve the problem.

16. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 30 miles per hour, what distance can be traveled in 5 hours?

16. _____

17. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 0.7 mile per minute, what distance can be traveled in 20 minutes?

17. _____

18. To convert meters to feet, you can use the formula $f = \frac{m}{0.3038}$, where f is the distance in feet and m is the distance in meters. How many meters (to the nearest tenth) is 23 feet?

18. _____

19. Power is the time rate of doing work and is commonly measured in watts. Power is given by the formula $P = \frac{W}{t}$, where P is power, W is work (in joules), and t is time in seconds. If 500 watts of power are used in 12 seconds, how much work (in joules) was done?

19. _____

20. The speed of a ball dropped from a tower is given by the formula $f = 32t$ where f is in feet per second and t is the number of seconds since the ball was dropped. Find the speed of the ball after 9 seconds.

20. _____

Name _____

Date _____

Additional Exercises 2.2
Form II
The Multiplication Property of Equality

Solve the equation using the multiplication property of equality.

1. $\frac{1}{8}x = -3$

1. _____

2. $-\frac{1}{11}x = 4$

2. _____

3. $\frac{x}{2} = 11$

3. _____

4. $-3a = 1$

4. _____

5. $-6x = -30$

5. _____

6. $\frac{2}{5}x = \frac{4}{25}$

6. _____

7. $\frac{n}{4} = 9$

7. _____

8. $\frac{3}{8}x = -\frac{6}{5}$

8. _____

9. $-x = -15$

9. _____

10. $5x - 1 = 7$

10. _____

11. $7n - 4 = 66$

11. _____

Name _____

Date _____

12. $-12 = 5x - 8$ 12. _____

13. $5y + 7 = -4 + 3y$ 13. _____

14. $5x + 1 = -2x - 8$ 14. _____

15. $8x + 1 = 4x + 3$ 15. _____

Solve the problem.

16. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 55 miles per hour, what distance can be traveled in 4.5 hours? 16. _____

17. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 0.6 mile per minute, what distance can be traveled in 25 minutes? 17. _____

18. To convert meters to feet, you can use the formula $f = \frac{m}{0.3038}$, where f is the distance in feet and m is the distance in meters. How many meters (to the nearest tenth) is 26 feet? 18. _____

19. Power is the time rate of doing work and is commonly measured in watts. Power is given by the formula $P = \frac{W}{t}$, where P is power, W is work (in joules), and t is time in seconds. If 600 watts of power are used in 11 seconds, how much work (in joules) was done? 19. _____

20. The speed of a ball dropped from a tower is given by the formula $f = 32t$ where f is in feet per second and t is the number of seconds since the ball was dropped. Find the speed of the ball after 8 seconds. 20. _____

Additional Exercises 2.2
Form III
The Multiplication Property of Equality

Solve the equation using the multiplication property of equality.

1. $\frac{1}{13}x = 7$

1. _____

2. $-\frac{1}{23}a = 0$

2. _____

3. $\frac{x}{4} = -8$

3. _____

4. $-5a = 45$

4. _____

5. $-8x = -50$

5. _____

6. $\frac{2}{3}m = \frac{2}{5}$

6. _____

7. $\frac{x}{7} = -5$

7. _____

8. $-\frac{2}{9}k = -\frac{2}{3}$

8. _____

9. $-12 = -x$

9. _____

10. $4r + 2 = 22$

10. _____

11. $8x - 5 = 61$

11. _____

Name _____

Date _____

12. $-21 = 5x - 6$ 12. _____

13. $2x + 9 = -3 + 5x$ 13. _____

14. $7x + 3 = -3x - 7$ 14. _____

15. $9x - 7 = 4x + 9$ 15. _____

Solve the problem.

16. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 70 miles per hour, what distance can be traveled in $6\frac{1}{4}$ hours? 16. _____

17. The time it takes to travel a given distance at constant speed is given by the formula $t = \frac{d}{r}$, where t is the time, d is the distance, and r is the rate of travel. At 0.7 mile per minute, what distance can be traveled in 32 minutes? 17. _____

18. To convert meters to feet, you can use the formula $f = \frac{m}{0.3038}$, where f is the distance in feet and m is the distance in meters. How many meters (to the nearest tenth) is 27 feet? 18. _____

19. Power is the time rate of doing work and is commonly measured in watts. Power is given by the formula $P = \frac{W}{t}$, where P is power, W is work (in joules), and t is time in seconds. If 550 watts of power are used in 15 seconds, how much work (in joules) was done? 19. _____

20. The speed of a ball dropped from a tower is given by the formula $f = 32t$ where f is in feet per second and t is the number of seconds since the ball was dropped. Find the speed of the ball after 12 seconds. 20. _____