## Additional Exercises 5.2 Form I

Solving Systems of Linear equations by the Substitution Method

Solve each system by the substitution method. If there is no solution or infinitely many solutions, so state. Use set notation to express solution sets.

1. 
$$y = x + 3$$
$$x + 2y = 18$$

$$2x - 2y = 2$$
$$x = 3y + 5$$

$$3x - 2y = 9$$
$$y = 2x - 5$$

$$\begin{aligned}
2x - y &= 15 \\
y &= x - 5
\end{aligned}$$

$$5. \qquad 3x + 3y = 12$$
$$x = 4 - y$$

$$6. \qquad 3x + y = 10$$
$$5x - 2y = 2$$

7. 
$$x-5y = 35$$
  
 $4x + 2y = 8$ 

8. 
$$12x - 4y = 16$$
$$3x - y = -4$$

8. \_\_\_\_\_

9. 
$$5x + y = -10$$
  
 $2x - 6y = -4$ 

9. \_\_\_\_\_

10. 
$$x + 8y = -56$$
  
 $-2x + 9y = -63$ 

10. \_\_\_\_\_

11. 
$$6x + 4y = 12$$
  
 $2x - 2y = -14$ 

11. \_\_\_\_\_

12. 
$$3x - 2y = 25$$
  
 $4x + 8y = -20$ 

12. \_\_\_\_\_

$$13. \qquad 2x + 3y = 9$$
$$3x + 2y = 1$$

13. \_\_\_\_\_

14. 
$$2x + y = 14$$
  
 $4x + 2y = -28$ 

14. \_\_\_\_\_

$$15. \qquad x = 8 - 5y \\
 x = 3y - 8$$

15. \_\_\_\_\_

16. \_\_\_\_\_

## Additional Exercises 5.2 Form II

Solving Systems of Linear equations by the Substitution Method

Solve each system by the substitution method. If there is no solution or infinitely many solutions, so state. Use set notation to express solution sets.

$$1. \qquad x = 1 - 6y$$
$$2x + 8y = 6$$

$$y = 3x + 4$$

$$5x - y = 4$$

$$3. \qquad 6x - 2y = 14$$
$$3x - y = 7$$

4. 
$$x + 5y = 18$$
  
 $2x + 2y = 20$ 

5. 
$$6x + y = -12$$
  
 $5x + 2y = 4$ 

$$6. 9x - 3y = 3$$
$$3x - y = 12$$

7. 
$$x + 7y = 1$$
$$2x + 8y = 2$$

8. 
$$2x + y = 14$$
  
 $6x - 3y = 18$ 

9. 
$$2x + y = 8$$
$$-3x + 2y = -19$$

9. \_\_\_\_\_

10. 
$$6x - y = -1$$
  
 $6x - 5y = -17$ 

10. \_\_\_\_\_

$$11. 5x - 10y = 6$$

$$x - y = 1$$

11. \_\_\_\_\_

12. 
$$7x + 15y = 12$$
  
 $x + 9y = 4$ 

12. \_\_\_\_\_

13. 
$$x - \frac{3}{4}y = 3$$
$$-2x + \frac{3}{2}y = -5$$

13. \_\_\_\_\_

14. 
$$\frac{1}{4}x + \frac{1}{2}y = 5$$
$$4x - y = 26$$

14. \_\_\_\_\_

15. 
$$3x - 2y = 3$$
$$-\frac{4}{3}x + y = \frac{1}{3}$$

15. \_\_\_\_\_

16. 
$$3x + 6y = 3$$
  
 $2x + 8y = 22$ 

16. \_\_\_\_\_

## Additional Exercises 5.2 Form III

Solving Systems of Linear equations by the Substitution Method

Solve each system by the substitution method. If there is no solution or infinitely many solutions, so state. Use set notation to express solution sets.

1. 
$$4x + 3y = 11$$
  
 $y = 2x - 13$ 

$$\begin{aligned}
5x - 3y &= 11 \\
x &= 12 + 2y
\end{aligned}$$

$$y = 2x + 3$$
$$y = 4x + 7$$

4. 
$$x = 5y - 35$$
  
 $5x - 6y = -61$ 

5. 
$$2x + y = 14$$
  
 $4x + 2y = 28$ 

$$5x + 5y = 0$$
$$x - y = -4$$

7. 
$$x + 2y = 32$$
  
 $3x - 5y = -14$ 

8. 
$$4x-12y = 15$$
  
 $x-3y = 4$ 

9. 
$$6x + 4y = 12$$
  
  $2x - 4y = -44$ 

10. 
$$x + 3y = -1$$
  
 $8x - 8y = 4$ 

10. \_\_\_\_\_

11. 
$$15x - y = 14$$
  
 $3x - 4y = 18$ 

11. \_\_\_\_\_

12. 
$$\frac{4}{5}x + \frac{1}{2}y = 6$$
$$3x + y = 19$$

12. \_\_\_\_\_

13. 
$$\frac{1}{3}x + \frac{1}{3}y = 0$$
$$x - y = 14$$

13. \_\_\_\_\_

14. 
$$\frac{1}{2}x - \frac{2}{3}y = -1$$
$$\frac{3}{7}x + y = 18$$

14. \_\_\_\_\_

15. An electronic company kept comparative statistics on two products, A and B. For the years 1980 to 1988, the total number of Product A sold (in thousands) is given by the equation y = 72x + 689 where x is the number of years since 1980. For the same time period, the total number of Product B sold (in thousands) is given by the equation y = -30x + 434, where x is the number is years since 1980. Use the substitution method to solve the system and describe what the solution means.

15. \_\_\_\_\_

16. One number is 1 less than a second number. Twice the second number is 19 less than 5 times the first. Find the two numbers.

16. \_\_\_\_\_